INDEX.

Synonyms and incidental references under Carex are printed in Italics.

A.

Abutilastrum, 295.
Abutilon, Tourn., 298.
aurantiacum, Watson, 301.
Avicennæ, 299.
crispum, Don, 302.
holosericeum, Scheele, 302.
incanum, Don, 301.
Indicum, 299.
var. hirtum, 299.
Jacquini, Don, 300.
Lemmoni, Watson, 301.
var. dentatum, 301.
malacum, Watson, 301.
Palmeri, Gray, 301.
Parishii, Watson, 301.
parvulum, Gray, 301.
pedunculare, HBK., 300.
permolle, Don, 301.
Thurberi, Gray, 302.
Wrightii, Gray, 301.
Xanti, 301.
Acacia filicina, Willd., 409.
Tequilana, 409.
Acalypha filifera, 451.
hypogæa, 451.
sessilifolia, 450.
Achimenes coccinea, Pers., 443.
Acid, boric, a method for the separation and estimation of, with an account of a convenient form of apparatus for quantitative distillations, 167.
Acid, anilmucoxybromic, 324.
anilmucoxychloric, 334.
benzoltrisulphonic, on, 348.
mucoxybromic, 316.
mucoxychloric, 327.
parabrombenzoic, preparation of, 255.
Acids, mucoxybromic and mucoxychloric, on, 315.
Acrostichum araneosum, D. C. Eaton, 461.
Adams, Charles Francis, biographical notice of, 517.
Adams, Henry, election of, 507.
Adiantum concinnum, HBK., 465.
convolutum, Fournier, 464.
patens, Willd., 465.
tricholepis, Fée, 465.
Æcidium penicillatum, 265.
pyratum, 265.
Ægopogon geminiflorus, HBK., 460.
gracilis, Vasey, 460.
Æschynomene Americana, Linn., 406.
Agarum Turneri, on the anatomy and development of, 195.
adult anatomy, 198.
anatomy of young frond, 200.
explanation of plates, 204.
growth, 199.
perforations of the lamina, 201.
summary, 203.
Agave planifolia, 479.
Ageratella microphylla, 419.
var. Seemanni, 419.
Ageratum conyzoides, Linn., 418.
var. Mexicanum, DC., 418.
corymbosum, Zucc., 418.
Agrostis verticillata, Vill., 461.
Allen, Joel Asaph, election of, 506.
Alsinastrum, Torr. & Gray, 282.
Amarantus chlorostachys, Willd., 446.
leucospermus, 446.
Palmeri, Watson, 446.
Pringlei, 476.
Amido compounds, on the direct conversion of aromatic sulphonates into the corresponding, 245.
Ammonia process, analysis of a crystalline scale formed in

the manufacture of sodic bicarbonate by the, at Syracuse, N. Y., 159.
Amyl alcohol on the chlorides, a method for the separation of sodium and potassium from lithium by the action of, 177.
Anagallis arvensis, Linn., 434.
Andropogon brevifolius, Sw., 460.
fastigiatus, Sw., 460.
hirtiflorus, Kunth, 460.
Liebmanni, Haeckel, 460.
saccharoides, Sw., 460.
var. perforatus, 460.
subvar. Palmeri, Haeckel, 460.
tener, Kunth, 460.
Aneimia adiantifolia, Swartz, 465.
hirsuta, Swartz, 465.
Anemone Oregana, 308.
Anhydride, parabrombenzoic, 256.
properties, 257.
Anilmucoxybromate, diargentic, 326.
dipotassic, 326.
monobaric, 325.
phenylhydrazine, 326.
Anilmucoxybromic acid, 324.
Anilmucoxychlorate, baric, 335.
diargentic, 336.
dipotassic, 336.
phenylhydrazine, 336.
Anilmucoxychloric acid, 334.
Anoda, Cav., 297.
abutiloides, 300.
acerifolia, DC., 298, 299.
Arizonica, 298.
var. digitata, 298.
crenatiflora, Ort., 300.
hastata, Cav., 298.
incarnata, HBK., 300, 399.
lanceolata, Hook. & Arn., 299.
parviflora, Cav., 300.
pentaschista, Gray, 299.
pubescens, Schlecht., 300.
reticulata, Watson, 300.
Thurberi, 299.
Wrightii, Gray, 299.
Anona longiflora, 397.
Antigonon flavescens, 446.
Aphanostephus humilis, Gray, 421.
Apium leptophyllum, F. Muell., 415.
Apodanthera aspera, Cogn., 413.
Arabis Beckwithii, 467.
Bolanderi, 467.
confinis, 466.
Drummondii, Graham, 466.
Arabis hirsuta, 466.
Lemmoni, 467.
Parishii, 468.
perennans, 467.
perfoliata, Lam., 466.
pulchra, M. E. Jones, 468.
Arc, voltaic, the inverse electromotive force of the, 227.
Arenaria alsinoides, Willd., 398.
Argentic mucoxybromate, 319.
mucoxychlorate, 330.
Argentic nitrate, on the constancy in the heat produced by the reaction of, on solutions of metallic chlorides, 162.
table of results, 164.
Aristida setifolia, HBK. ?, 461.
Aristolochia Guadalajarana, 448.
longecaudata, 447.
longipes, 448.
Palmeri, 447.
Tequilana, 447.
Aromatic sulphonates, on the direct conversion of, into the corresponding amido compounds, 245.
action with potassic benzolmonosulphonate, 246.
action with potassic benzolmetadisulphonate, 247.
Arracacia decumbens, Benth. & Hook., 415.
Artemisia Mexicana, Willd., 432.
Arundinella, 460.
Ascension of certain polar stars, observations of the mean right, made at the Field Memorial Observatory of Williams College, and reduced to the epoch 1884.0, 1.
tables, 5–13.
Asclepias Curassavica, Linn., 436.
Macroura, Gray, 436.
rosea, HBK., 436.
setosa, Benth., 436.
Aspidium Mexicanum, Kunze, 465.
patens, Swartz, 465.
Aspilia albiflora, Gray, 425.
angustifolia, Gray, 425.
Asplenium monanthemum, Linn., 465.
pumilum, Swartz, 465.
Trichomanes, Linn., 465.
var. repens, Davenport, 465.
Aster spinosus, Benth., 422.
Astragalus accidens, 471.

Astragalus Hendersoni, 471.
inflexus, 472.
lectulus, 471.
Purshii, 472.
Atwood, Nathaniel Ellis, biographical notice of, 522.
Ayenia glabra, 399.

B.

Baric anilmucoxychlorate, 335.
benzoylbenzoltrisulphamide, 368.
mucoxybromate, 317.
mucoxychlorate, 329.
Baccharis heterophylla, HBK., 422.
mucronata, HBK., 422.
pteronioides, DC., 422.
thesioides, HBK., 422.
Bastardia, HBK., 295.
Berlandieri, 295.
Begonia bicolor, 414.
Portillana, 414.
Bellinia umbellata, Rœm. & Schult., 440.
Benzoltrisulphamide, 361.
properties, 362.
mercuric salts of, 363.
silver salt, 363.
Benzoltrisulphanilid, 369.
properties, 369.
Benzoltrisulphobenzenylphenylamidine, 369.
properties, 369.
Benzoltrisulphochloride, 358.
properties, 359.
Benzoltrisulphonic acid, on, 348.
and its salts, 355.
constitution of, 370.
formation of, 349.
preparation of, 352.
Benzoltrisulphonic ester, 360.
properties, 360.
Benzoylbenzoltrisulphamide, 365.
properties, 366.
baric, 368.
chloride of, 368.
properties, 368.
sodic, 367.
Benzyldimethylamine, on, 249.
properties of, 250.
Bessera elegans, Schultes, 458.
Bidens chrysanthemoides, Michx., 429.
Bidens ferulæfolia, DC., 430.
heterophylla, Ort., 430.
Palmeri, Gray, 429.
tereticaulis, DC., 430.
Blechnum occidentale, Linn., 465.
Bletia campanulata, Llav. & Lex., 454.
——? 454, 455.
Pottsii, 478.
Boehmeria Palmeri, 453.
Boerhaavia erecta, Linn. ?, 446.
Bolanosa Coulteri, Gray, 417.
Bomarea affinis, Kunth ?, 457.
Bombax Palmeri, 399.
Boric acid, a method for the separation and estimation of, with an account of a convenient form of apparatus for quantitative distillations, 167.
description of apparatus, 172.
experiments, 170, 171, 174, 175.
Marignac's method, 169.
methyl alcohol as a volatilizing agent, 168.
Stromeyer's method, 167.
Wöhler's method, 167.
Boschniakia, C. A. Meyer, 312.
Bouchea Ehrenbergii, Cham., 444.
Bouteloua bromoides, Lag., 461.
Fourierana, Vasey, 461.
hirsuta, Lag., 461.
var. Palmeri, Vasey, 461.
juncifolia, Lag. ?, 461.
racemosa, Lag., 461.
tenuis, HBK. ?, 461.
Bouvardia gracilis, 306.
linearis, HBK., 416.
scabra, Hook. & Arn., 416.
versicolor, Ker, 416.
var. graciliflora, 416.
Bravoa geminiflora, Llav. & Lex., 458.
singuliflora, 479.
Brickellia Cavanillesii, Gray, 421.
corymbosa, Gray, 421.
cuspidata, Gray, 421.
lanata, Gray, 421.
oliganthes, Gray, 421.
var. polyanthes, 421.
solidaginifolia, 306.
Brimmer, Martin, election of, 506.
Brongniartia inconstans, 404.
Brya (?) amorphoides, 406.
Buchnera disticha, HBK., 442
Mexicana, Hemsl., 442.
pilosa, Benth., 442.

Buettneria Carthaginensis, Jacq., 400.
Bunchosia Guadalajarensis, 401.
Palmeri, 401.
Bursera bipinnata, Engler, 402.
Kerberi, Engler, 402.
Palmeri, 402.
Schaffneri, 469.

C.

Cacalia cordifolia, HBK., 432.
radulæfolia, HBK., 433.
Schaffneri, Gray, 432.
tussilaginoides, HBK., 432.
Calandrinia, HBK., 273, 276.
acaulis, HBK., 276.
Breweri, Watson, 277.
caulescens, HBK., 277.
var. Menziesii, 277.
Cotyledon, Watson, 276.
Leana, Porter, 277.
maritima, Nutt., 277.
Nevadensis, Gray, 276.
pygmæa, Gray, 276.
sesuvioides, 278.
Tweedyi, Gray, 277.
Calceolaria Mexicana, Benth., 442.
Calcium, separation of sodium and potassium from magnesium and, 177, 192.
Calea Palmeri, Gray, 430.
peduncularis, HBK., 430.
urticæfolia, DC., 430.
Zacatechichi, Schlecht., 430.
Calliandra humilis, Benth., 410.
nitida, 410.
Palmeri, 410.
tetragona, Benth., 410.
Callistachys Pyrenaica, 129.
Calochortus Bonplandianus, Schult., 458.
Hartwegi, Benth., 458.
Calophanes Palmeri, Gray, 443.
Calyptridium, Nutt., 273, 284.
monandrum, Nutt., 285.
Parryi, 285.
quadripetalum, Watson, 284.
roseum, Watson, 285.
Calyxhymenia, 294.
Camassia Cusickii, 479.
Canavalia villosa, Benth., 407.
Capsicum baccatum, Linn., 440.
Cardamine, Lyallii, 466.
Carex *abbreviata*, Boott, 112.
Carex Acroarrhenæ, Fries, 133.
acrolepis, Liebm., 99.
acuta, L., 86.
acuta, Muhl., 84.
acuta, var. Reverchon, 85.
Acutæ, Fries, 82.
acutiformis, Ehrh., 76.
acutata, Boott, 70.
adusta, Boott, 148.
adusta, Carey, 151.
adusta, W. Boott, 147, 151.
æmathorhyncha, Olney, 74.
Ærostachyæ, Drejer, 76.
æstivalis, Curtis, 106.
affinis, R. Br., 130.
Alaskana, Boeckl., 141.
alata, Torr., 150.
alba, Dewey, 120.
albolutescens, Olney, 149.
alopecoidea, Tuckm., 136.
alpestris, All., 126.
alpestris, Dewey, 124.
alpina, Swartz, 76.
alveata, Boott, 110.
ambusta, Boott, 88.
amplifolia, Boott, 72.
ampullacea, Gooden., 67.
anceps, Muhl., 115.
anceps, Schw. & Torr., 114.
Andersoni, Boott, 81.
androgyna, Bailey, 101.
anisostachys, Liebm., 101.
anguillata, Drejer, 84.
angustata, Boott, 84.
Anomalæ, Carey, 72.
anthericoides, Presl, 134, 137.
anthoxanthea, Presl, 131.
antucensis, Kunze, 80.
aperta, Boott, 85.
Aquatiles, Fries, 82.
aquatilis, Wahl., 84
arcta, Boott, 144.
arctata, Boott, 104.
arctata × formosa ? Bailey, 104.
arctica, Dewey, 78.
arenaria, L., 138.
Arenariæ, Kunth, 137.
argyrantha, Tuckm., 148.
arida, Schw. & Torr., 147.
aristata, Dewey, 107.
aristata, R. Br., 75.
Assiniboinensis, W. Boott, 103.
atherodes, Sprengel, 75.
athrostachya, Olney, 153.
atrata, L., 77.
Atratæ, Kunth, 76.

Carex atrofusca, Schkuhr, 93.
attenuata, R. Br., 131.
aurea, Nutt., 119.
Backiana, Dewey, 130.
Backii, Boott, 28.
Baldwinia, Dewey, 64.
Baltzellii, Chapm., 120.
Barbaræ, Dewey, 90.
Barrattii, Schw. & Torr., 87.
Bebbii, Olney, 148.
Bella-villa, Dewey, 63.
Beyrichiana, Boeckl., 63.
bicolor, All., 119.
Bicolores, Tuckm., 119.
bicostata, Olney, 139.
bifida, Boott, 78.
Bigelovii, Torr., 81.
bispicata, Hook. & Arn., 102.
blanda, Dewey, 115.
blepharophora, Gray, 103.
Bolanderi, Olney, 144, 146.
Bolliana, Boeckl., 101.
Bongardiana, Meyer, 67.
Bonplandii, Kunth, 152.
Boottiana, Benth., 121.
borealis, Lang, 84.
Brachyrhynchæ, Bailey, 113.
Bracteosæ, Kunth, 135.
Bractoideæ, Bailey, 128.
Brazasana, Steud., 103.
brevipes, W. Boott, 124.
Breweri, Boott, 132.
brizoides, L., var., 146.
bromoides, Schkuhr, 146.
Brongniartii, Boott, 137.
Brongniartii, Kunth, 137.
Buckleyi, Dewey, 144.
bullata, Dewey, 68.
bullata, Schkuhr, 68.
bullata × utriculata, Bailey, 68.
Buxbaumii, Wahl., 77.
cæspitosa, Gooden., 80.
cæspitosa, L., 80.
cæspitosa, Olney, 87.
Cæspitosæ, Fries, 77.
Camtschatcensis, Kunth, 102
Canadensis, Dewey, 63.
canescens, L., 143.
Canescentes, Fries, 142.
capillaris, L., 103.
capitata, L., 141.
Capitatæ, Christ, 141.
Careyana, Torr., 117.
Careyanæ, Tuckm., 114.
Carltonia, Dewey, 145.
Caroliniana, Buckley, 116.
Carex *castanea*, Ell., 64.
castanea, Wahl., 117.
cephaloidea, Boott, 141.
cephalophora, Muhl., 141.
cernua, Phil., 94.
Chapmani, Sartw., 127.
Cherokeensis, Schw., 103.
chlalaros, Steud., 110.
chlorocarpa, Liebm., 102.
chordalis, Liebm., 96.
chordorhiza, Ehrh., 133.
Chordorhizeæ, Fries, 133.
Christyana, Boott, 103.
cinnamomea, Olney, 105.
circinata, Meyer, 131.
cladostachya, Wahl., 98.
collecta, Dewey, 123.
Collinsii, Nutt., 62.
commutata, Gay, 84.
comosa, Boott, 70.
compacta, R. Br., 66.
complanata, Torr. & Hook., 101.
concinna, Olney, 119.
concinna, R. Br., 120.
concolor, R. Br., 86.
conjuncta, Boott, 134.
conoidea, Muhl., 115.
conoidea, Schkuhr, 113.
Cooleyi, Dewey, 69.
Cortesii, Liebm., 95.
costata, Schw., 100.
Coulteri, Boott, 127.
Crawei, Dewey, 110.
cristata, Schw., 148.
crus-corvi, Shuttl., 135.
cryptandra, Schw., 107.
cryptocarpa, Meyer, 89.
Cryptocarpæ, Tuckm., 89.
curta, Gooden., 143.
Curvules, Tuckm., 133.
cuspidata, Wahl., 87.
cylindrica, Carey, 68.
cylindrica, Schw., 68.
cyperoides, Dewey, 153.
Cyperoides, Tuckm., 147.
Dactylostachyæ, Drejer, 113.
dasycarpa, Muhl., 127.
Davisii, Dewey, 124.
Davisii, Schw. & Torr., 107.
Debiles, Carey, 104.
debilis, Michx., 104.
debilis × virescens? Bailey, 105.
decidua, Boott, 81.
decidua, Olney, 82.
decomposita, Muhl., 135.
deflexa, Hornem., 124.

Carex *Deflexocarpæ*, Bailey, 60, 129.
Deinbolliana, Gay, 133.
Deweyana, Schw., 146.
Deweyanæ, Tuckm., 142.
Digitales, Carey, 114.
digitalis, Schw. & Torr., 106.
digitalis, Willd., 116.
Digitatæ, Fries, 119.
dioica, L., 142.
dioica, Torr., 142.
Dioicæ, Tuckm., 141.
disperma, Dewey, 139.
disperma, Kunze, 139.
disticha, Huds., 137.
Distichæ, Christ, 135.
Douglasii, Boott, 138.
Drejeri, Lang, 80.
Drummondiana, Dewey, 131.
dubitata, Dewey, 81.
duriuscula, Meyer, 133.
eburnea, Boott, 120.
echinata, Murr., 142.
Ehrenbergiana, Boeckl., 91.
elata, Olney, 82.
Elliottii, Schw. & Torr., 64.
elongata, Olney, 143.
Elongatæ, Kunth, 142.
Emmonsii, Dewey, 124.
Emoryi, Dewey, 85.
Engelmanni, Bailey, 132.
Eucarex, Coss., 60.
exilis, Dewey, 142.
extensa, Boott, 110.
extensa, Gooden., 111.
Extensæ, Fries, 111.
feminea, Steud., 70.
Fendleriana, Boeckl., 138.
Ferrugineæ, Tuckm., 92.
festiva, Dewey, 153.
festucacea, Sartw., 152.
festucacea, Willd., 149.
filifolia, Nutt., 122.
Filifoliæ, Tuckm., 122.
filiformis, L., 74.
filipendula, Drejer, 89.
Fischeriana, Gay, 142.
flacca, Carey, 87.
flaccosperma, Dewey, 108.
flaccosperma, Gray, Boott, 108.
flava, L., 111.
Flavæ, Tuckm., 111.
Flexiles, Tuckm., 103.
flexilis, Rudge, 103.
flexuosa, Muhl., 104.
Floridana, Schw., 125.
fœnea, Willd., 149, 150.
Carex fœtida, All., 133.
Fœtidæ, Tuckm., 133.
folliculata, L., 62.
folliculata, Willd., 62.
formosa, Dewey, 107.
formosa, Kunth, 71.
Frankii, Kunth, 70.
Franklinii, Boott, 93.
Fraseri, Andrews, 132.
Fraseriana, Sims, 132.
frigida, All., 92.
Frigidæ, Fries, 92.
fuliginosa, Sternb. & Hoppe, 93.
Fuliginosæ, Tuckm., 92.
fulva, Gooden., 112.
Fulvellæ, Fries, 112.
fulvicoma, Dewey, 113.
furcata, Ell., 70.
fuscolutea, Boeckl., 138.
fusiformis, Chapm., 114.
Galeottiana, Meyer, 98.
Gayana, Desv., 135.
Gebhardii, Hoppe, 143.
Georgiana, Dewey, 70.
Geyeri, Boott, 128.
gigantea, Kunth, 63.
gigantea, Rudge, 64.
glabra, Boott, 105.
glareosa, Wahl., 146.
glauca, Scop., 87.
glaucescens, Ell., 91.
glaucodea, Tuckm., 108.
globosa, Boott, 125.
globosa, W. Boott, 124, 125.
glomerata, authors, 137.
Gmelini, Hook., 77.
Goodenovii, Gay, 80.
gracilis, Gray, 139.
gracillima, Schw., 106.
gracillima × pubescens, Bailey, 107.
Gracillimæ, Carey, 106.
Grahami, Boott, 66.
Granulares, Bailey, 109.
granularioides, Schw., 113.
granularis, Muhl., 110.
Grayana, Dewey, 119.
Grayii, Carey, 63.
Greeniana, Dewey, 112.
Greenii, Boeckl., 68.
grisea, Wahl., 107.
Griseæ, Bailey, 107.
grypos, Schkuhr, 142.
gynandra, Schw., 90.
gynobasis, Vill., 126.
gynocrates, Wormsk., 142.

Carex gynodynama, Olney, 92.
hæmatolepis, Drejer, 88.
Haleana, Olney, 110.
Halei, Carey, 64.
Halei, Dewey, 135.
Halleriana, Asso, 126.
Halliana, Bailey, 73.
Hallii, Bailey, 82.
Hallii, Olney, 78.
Halseyana, Dewey, 117.
Hartii, Dewey, 69.
Hartwegii, Boott, 98.
Haydeniana, Olney, 153.
Haydenii, Dewey, 85.
Heleonasteæ, Kunth, 142.
heleonastes, Ehrh., 145.
helvola, Blytt, 144.
Hendersoni, Bailey, 115.
Hepburnii, Boott, 142.
heptastachya, Boeckl., 149.
heteroneura, W. Boott, 78.
heterosperma, Wahl., 115.
heterostachya, Torr., 110.
hirsuta, Willd., 101.
hirta, L., 74.
Hirtæ, Tuckm., 72.
hirtissima, W. Boott, 73.
hispida, W. Boott, 83.
Hitchcockiana, Dewey, 114.
holostoma, Drejer, 76.
Hoodii, Boott, 133, 137.
Hoodii, W. Boott, 140.
Hookeriana, Dewey, 140.
Hoppneri, Boott, 88.
Houghtonii, Torr., 74.
hyalina, Boott, 149.
hymenocarpa, Drejer, 66.
Hymenochlænæ, Drejer, 100.
Hyparrhenæ, Fries, 142.
hyperborea, Drejer, 86.
hypoxanthus, Steud., 137.
hystricina, Muhl., 69.
ignota, Dewey, 114.
Illinoensis, Dewey, 113.
Incisæ, Olney, 89.
incurva, Lightf., 133.
Indicæ, Tuckm., 98.
inops, Bailey, 126.
intermedia, Gooden., 137.
Intermediæ, Nyman, 135.
interrupta, Boeckl., 85.
intumescens, Rudge, 62.
invisa, Bailey, 82.
irrigua, Smith, 94.
Jamesii, Torr., 84.
Jamesoni, Boott, 98.
Carex Joori, Bailey, 72.
juncea, Willd., 104.
juncifolia, All., 133.
juncifolia, Schkuhr, 133.
Kelloggii, W. Boott, 80.
Kelvingtoniana, Steud., 84.
Knieskernii, Dewey, 104.
Kunzei, Olney, 144.
laciniata, Boott, 83.
lacustris, Willd., 76.
læviconica, Dewey, 75.
lævigata, Smith, 112.
lagopina, Wahl., 145.
Lagopinæ, Nyman, 142.
lagopodioides, Schkuhr, 148.
lagopodioides, W. Boott, 151.
lagopus, Muhl., 132.
Lamprochlænæ, Drejer, 129.
lanceata, Dewey, 88.
lanuginosa, Michx., 74.
Lanuginosæ, Carey, 72.
Lasiocarpæ, Fries, 72.
latifolia, Wahl., 117.
laxa, Dewey, 94.
laxiflora, Ell., 107.
laxiflora, Lam., 114.
laxiflora, Schkuhr, 107.
Laxifloræ, Kunth, 114.
Leavenworthii, Dewey, 141.
leiocarpa, Meyer, 131.
leiorhyncha, Kunze, 144.
leiorhyncha, Meyer, 137.
Lemmoni, W. Boott, 112.
lenticularis, Dewey, 94.
lenticularis, Michx., 86.
lepidocarpa, Tausch, 111.
leporina, Bailey, 152.
leporina, L., 152; *var.*, 150.
leptalea, Wahl., 131.
Leptocephalæ, Bailey, 131.
Leucoglochin, Fries, 61.
Liddoni, Boott, 147.
Liddoni, Carey, 147.
Liebmanni, Walpers, 102.
limosa, L., 94.
Limosæ, Tuckm., 94.
limula, Fries, 81.
limula? Gray, 80.
Linnæana, Host, 142.
littoralis, Schw., 87.
livida, Willd., 119.
Loliaceæ, Nyman, 142.
longerostrata, Meyer, 102.
longicaulis, Boeckl., 109.
longirostrata, Torr., 102.
lucorum, Willd., 122.

Carex *tupuliformis*, Sartw., 63.
lupulina, Muhl., 63.
Lupulinæ, Tuckm., 61.
lurida, Wahl., 63.
luzulæfolia, W. Boott, 92.
luzulina, Olney, 92.
Lyallii, Boott, 78.
Lyoni, Boott, 131.
Lyoni, Olney et al., 122.
Macouni, Dewey, 69.
macrocephala, Willd., 134.
macrochæta, Meyer, 94.
maculata, Liebm., 95.
Magellanica, Lam., 94.
marcida, Boott, 136.
marginata, Muhl., 122.
marina, Dewey, 145.
maritima, Müller, 90.
Maritimæ, Nyman, 89.
Meadii, Dewey, 118.
media, R. Br., 76.
Meekii, Dewey, 138.
Melananthæ, Drejer, 76.
melanocarpa, Cham., 120.
melanosperma, Liebm., 96.
membranacea, Hook., 66.
Mendocinensis, Olney, 106.
Mertensii, Presc., 77.
Mexicana, Presl, 98.
Michauxiana, Boeckl., 62.
Michauxii, Dewey, 62.
Michauxii, Schw., 122.
Michelii, Host, var., 102.
microcephala, Meyer, 130.
microdonta, Torr. & Hook., 110.
microglochin, Wahl., 61.
micropoda, Meyer, 129.
Microrhynchæ, Drejer, 76.
microsperma, Wahl., 136.
microstachya, Michx., 131.
miliacea, Muhl., 87.
miliaris, Michx., 66.
mirabilis, Dewey, 148, 150.
mirata, Dewey, 75.
misandra, R. Br., 93.
miser, Buckley, 104.
Mitchelliana, Curtis, 90.
modesta, Gay, 137.
Monastes, Nyman, 142.
monile, Tuckm., 67.
monosperma, Macoun, 142.
Montanæ, Fries, 122.
monticola, Dewey, 127.
Muhlenbergianæ, Tuckm., 138.
Muhlenbergii, Schkuhr, 140.
multicaulis, Bailey, 128.
Carex *multiflora*, Muhl., 136.
Multifloræ, Kunth, 135.
muricata, L., 140.
muricata, Olney et al., 150.
Muricatæ, Fries, 134.
mutica, R. Br., 119.
nardina, Fries, 142.
Nardinæ, Tuckm., 141.
Nebraskensis, Dewey, 84.
neglecta, Tuckm., 139.
nervina, Bailey, 134.
nigella, Boott, 80.
nigra, All., 77.
nigricans, Meyer, 129.
nigritella, Drejer, 79.
nigro-marginata, Schw., 125.
Norvegica, Schkuhr, 145.
Novæ-Angliæ, Schw., 124.
nudata, W. Boott, 81.
Nuttallii, Dewey, 138.
Oakesiana, Dewey, 64.
obesa, All., var., 130.
obtusangula, Ehrh., 67.
obtusata, Lilj., 130.
Obtusatæ, Tuckm., 130.
Œderi, Retz, 111.
Œrstedii, Liebm., 99.
oligocarpa, Muhl., 116.
oligocarpa, Schkuhr, 113.
Oligocarpæ, Carey, 113.
oligosperma, Michx., 64.
olivacea, Liebm., 101.
Olneyi, Boott, 68.
oreades, Meyer, 153.
Oregonensis, Olney, 73.
Orizabæ, Liebm., 153.
ornithopoda, Torr., 120.
Orthocerates, Koch, 61.
orthostachys, Meyer, 75.
Ovales, Kunth, 147.
ovalis, Gooden., 152.
ovata, Rudge, 77.
oxylepis, Torr. & Hook., 107.
pachystylis, Gay, 133.
Pacifica, Drejer, 80.
paleacea, authors, 90.
paleacea, Wahl., 90.
pallescens, L., 112.
Pallescentes, Fries, 112.
pallida, Meyer, 147.
paludosa, Gooden., 76.
Paludosæ, Fries, 74.
panicea, L., 117.
Paniceæ, Tuckm., 117.
paniculata, W. Boott, 137.
Paniculatæ, Kunth, 135.

Carex *paradoxa*, Boott, 136.
Parryana, Dewey, 78.
pauciflora, Lightf., 61.
Paucifloræ, Tuckm., 61.
paupercula, Michx., 94.
pedata, L., 130.
pedata, Wahl., 130.
pedunculata, Muhl., 120.
pellita, Muhl., 74.
Pendulinæ, Fries, 94.
Pennsylvanica, Lam., 122.
Pennsylvanica, Torr., 123.
petasata, Dewey, 152.
petræa, Wahl., 130.
petricosa, Dewey, 92.
phæostachya, Smith, 117.
Phillippii, Bailey, 147.
phyllomanica, W. Boott, 145.
Phyllostachyæ, Bailey, 128.
Phyllostachys, Carey, 128.
physocarpa, Presl, 65.
Physocarpæ, Drejer, 60.
Physocephalæ, Bailey, 132.
physorhyncha, Steud., 125.
picta, Steud., 121.
pilosiuscula, Boeckl., 108.
pilulifera, L., *var.*, 124.
pinetorum, Liebm., 153.
pinetorum, Willd., 140.
planostachys, Kunze, 126.
plantaginea, Lam., 117.
plantaginea, Schkuhr, 115.
Plantagineæ, Carey, 114.
platyphylla, Carey, 116.
podocarpa, R. Br., 94.
podocarpa, W. Boott, 82.
podostachys, Steud., 116.
polymorpha, Muhl., 117.
polymorpha, Torr., 74.
polystachya, Wahl., 99.
Polystachyæ, Tuckm., 95.
polytrichoides, Muhl., 131.
Porteri, Olney, 90.
Potosina, Hemsl., 138.
præcox, Jacq., 125.
prægracilis, W. Boott, 144.
prairea, Dewey, 136.
prasina, Wahl., 87.
pratensis, Drejer, 147.
pratensis, Phil., 147.
Prescottiana, Olney et al., 90.
prolixa, Fries, 86.
Prolixæ, Fries, 82.
protracta, Steud., 114.
psammogæa, Steud., 133.
Pseudocyperæ, Tuckm., 69.
Carex Pseudo-Cyperus, L., 70.
ptychocarpa, Steud., 116.
pubescens, Muhl., 127.
Pulicares, Tuckm., 129.
pulla, Gooden., 65.
Purdiei, Boott, 152.
Purshii, Olney, 69.
Pyrenaica, Wahl., 129.
pyriformis, Schw., 119.
Raeana, Boott, 65.
Raynoldsii, Dewey, 78.
recta, Boott, 88.
recurva, Muhl., 103.
Redowskiana, Meyer, 142.
reducta, Drejer, 88.
refracta, Willd., 117.
remota, L., 145.
retrocurva, Dewey, 116.
retroflexa, Muhl., 139.
retrorsa, Schw., 68.
reversa, Sprengel, 68.
rhynchophysa, Liebm., 125.
Richardii, Michx., 143.
Richardsoni, R. Br., 120.
rigens, Bailey, 123.
rigida, Gooden., 81.
Rigidæ, Fries, 77.
riparia, W. Curtis, 76.
Rœmeriana, Scheele, 110.
rosea, Schkuhr, 139.
Rossii, Boott, 124.
rostrata, Michx., 62.
rostrata, Willd., 69.
rostrata, With., 67.
rotundata, Wahl., 67.
rufina, Drejer, 119.
Rugeliana, Kunze, 106.
Rupestres, Tuckm., 130.
rupestris, All., 130.
salina, Boott, 89.
salina, Wahl., 87.
Salinæ, Fries, 82.
Sartwelliana, Olney, 73.
Sartwellii, Dewey, 137.
Saskatchewana, Boeckl., 106.
saxatilis, authors, 81.
saxatilis, Dewey, 81.
saxatilis, L., 65.
scaberrima, Scheele, 91.
scabrata, Schw., 72.
scabrella, Wahl., 100.
scabrior, Sartw., 136.
Scariosæ, Carey, 72.
Schaffneri, Boeckl., 129.
Schaffneri, W. Boott, 138.
schedonautos, Steud., 137.

Carex Schiedeana, Kunze, 100.
Schkuhrii, Willd., 130.
Schottii, Dewey, 90.
Schweinitzii, Dewey, 69.
scirpina, Tuckm., 122.
Scirpinæ, Tuckm., 122.
scirpoidea, Michx., 122.
scirpoides, Schkuhr, 143.
scoparia, Schkuhr, 148.
Scouleri, Torr., 89.
sempervirens, Olney, 92.
senta, Boott, 82.
serratodens, W. Boott, 75.
setacea, Dewey, 136.
Shortiana, Dewey, 71.
Shortianæ, Bailey, 71.
Shortii, Steud., 71.
Shortii, Torr., 71.
siccæformis, Boott, 135.
siccata, Dewey, 147.
Siccatæ, Carey, 135.
silicea, Olney, 151.
Sitchensis, Presc., 89.
Smithii, Porter, 101.
sparganioides, Muhl., 140.
sparsiflora, Steud., 117.
spectabilis, Dewey, 94.
Sphæridiophoræ, Drejer, 121.
sphærocarpa, Willd., 130.
sphærostachya, Dewey, 144.
spicata, Schkuhr, 130.
spiculosa? W. Boott, 85.
Spiculosæ, Fries, 89.
spilocarpa, Steud., 95.
Spirostachyæ, Drejer, 109.
spissa, Bailey, 70, 112.
Sprengelii, Dewey, 102.
squarrosa, L., 71.
Squarrosæ, Carey, 70.
stans, Drejer, 84.
stellulata, Chapm., 143.
stellulata, Gooden., 142.
Stellulatæ, Kunth, 142.
stenolepis, Torr., 71.
stenophylla, Wahl., 133.
sterilis, W. Boott, 142.
sterilis, Willd., 143.
Steudelii, Kunth, 128.
stipata, Muhl., 135.
stolonifera, Ehrh., 125.
straminea, Schkuhr, 149.
striata, Carey, 75.
striata, Michx., 74.
striatula, Michx., 114.
stricta, Hook. & Arn., 87.
stricta, Lam., 84.
Carex stricta × salina, Bailey, 85.
strictior, Dewey, 84.
stygia, Fries, 95.
styloflexa, Buckley, 114.
stylosa, Meyer, 79.
Stylosæ, Bailey, 77.
subfusca, W. Boott, 153.
subspathacea, Wormsk., 88.
subulata, Michx., 62.
subuniflora, Steud., 113.
Sullivantii, Boott, 107.
supina, Willd., 130.
sychnocephala, Carey, 153.
sylvatica, Dewey, 104.
Sylvaticæ, Tuckm., 102.
tenax, Chapm., 127.
tenella, Schkuhr, 139.
tenera, Dewey, 152.
tenera, Sartw. et al., 149.
tenuiflora, Wahl., 145.
Tenuifloræ, Kunth, 142.
tenuirostris, Olney, 153.
tenuis, Rudge, 104.
tentaculata, Muhl., 69.
Tentaculatæ, Tuckm., 64.
tentaculata × lurida, Bailey, 69.
teretiuscula, Gooden., 136.
tetanica, Schkuhr, 117.
tetanica, Schw. & Torr., 113.
tetrastachys, Scheele, 149.
Thurberi, Dewey, 70.
Tolmiei, Boott, 79.
Torreyana, Dewey, 107.
Torreyi, Tuckm., 112.
torta, Boott, 87.
Trachychlænæ, Drejer, 71.
tribuloides, Wahl., 148.
triceps, Michx., 101.
trichocarpa, Muhl., 75.
triquetra, Boott, 127.
Triquetræ, Carey, 127.
trisperma, Dewey, 144.
truncata, Boeckl., 121.
tuberculata, Liebm., 97.
Tuckermani, Boott, 68.
turbinata, Liebm., 123.
turfosa, Fries, 80.
turgescens, Dewey, 64.
turgescens, Torr., 64.
typhina, Michx., 71.
typhinoides, Schw., 71.
ultra, Bailey, 83, 112.
umbellata, Schkuhr, 125.
undulata, Kunze, 112.
Urbani, Boeckl., 111.
ursina, Dewey, 146.

Carex *ustulata*, Wahl., 93.
Ustulatæ, Tuckm., 94.
utriculata, Boott, 67.
vaginata, Tausch., 117.
Vahlii, Schkuhr, 76.
vallicola, Dewey, 139.
Van-Vleckii, Schw., 116.
varia, Muhl., 123.
Vaseyi, Dewey, 67.
venusta, Dewey, 105.
verna, Vill., 125.
verrucosa, Muhl., 91.
verticillata, Boott, 85.
vesicaria, L., 68.
Vesicariæ, Tuckm., 64.
vestita, Willd., 73.
Vignea, Beauv., 132.
Vigneæ, Koch, 132.
Vigneastræ, Tuckm., 95.
virescens, Muhl., 100.
Virescentes, Kunth, 100.
viridis, Schl. & Cham., 97.
viridula, Michx., 111.
viridula, Schw. & Torr., 101.
Virginiana, Smith, 84.
vitilis, Fries, 143.
vulgaris, Fries, 80.
vulgaris, Olney, 79.
vulpina, Carey, 134.
Vulpinæ, Kunth, 134.
vulpinæformis, Tuckm., 136.
vulpinoidea, Michx., 136.
vulpinoidea, Torr., 135.
Vulpinoideæ, Kunth, 134.
Washingtoniana, Dewey, 81.
Watsoni, Olney, 75.
Watsoniana, Steud., 84.
Whitneyi, Olney, 127.
Wilkesii, Torr., 83.
Willdenovii, Schkuhr, 128.
Woodii, Dewey, 117.
Wormskioldiana, Hornem., 122.
Wormskioldii, Drejer, 122.
Wrightii, Dewey, 110.
Wrightii, Olney, 150.
Xalapensis, Kunth, 137.
xanthophysa, Wahl., 62.
xanthosperma, Dewey, 108.
xerocarpa, Wright, 84.
Casearea corymbosa, HBK., 397.
Cassia Absus, Linn., 408.
nictitans, Linn., 408.
Palmeri, 408.
rotundifolia, Pers., 408.
Castilleia arvensis, Ch. & Schlecht., 442.
Castilleia canescens, Benth., 442.
Suksdorfii, 311.
Cathesticum erectum, Vasey & Haeckel, 460.
Cenchrus myosuroides, HBK., 460.
Cestrum lanatum, Mart. & Gal., 440.
Chætium bromoides, Benth., 460.
Cheilanthes Cooperæ, D. C. Eaton, 464.
myriophylla, Desv., 464.
Palmeri, D. C. Eaton, 464.
viscosa, Link, 464.
Cheiranthodendreæ, 303.
Cheiranthodendron, Larreat, 303.
Chiococca racemosa, Linn., 416.
Chloride, dibenzyldimethylammonic, 251.
properties, 251.
Chloride of benzoylbenzoltrisulphamide, 368.
properties, 368.
Chlorides and sulphates in aqueous solution, is there a constant relation between the heats of formation of, 164.
materials required, 165.
table, 166.
Chlorides, metallic, on the constancy in the heat produced by the reaction of argentic nitrate on solutions of, 162.
Chloris elegans, HBK., 461.
submutica, HBK., 461.
Chlorplatinate, 250.
properties, 250.
dibenzyldimethylammonic, 252.
Chrysanthellum procumbens, Rich., 430.
Chrysopogon minor, Vasey, 460.
——?, 460.
nutans, Benth., 460.
Cicuta (?) linearifolia, 415.
Claytonia, Gronov., 273, 278.
arctica, M. F. Adams, 279.
asarifolia, Bongard, 280.
Caroliniana, Michx., 278.
Chamissonis, Esch., 282.
dichotoma, Nutt., 284.
diffusa, Nutt., 283.
Hallii, 283.
lanceolata, Pursh., 279.
linearis, Dougl., 284.
megarrhiza, Parry, 279.
parviflora, Dougl., 281.
var. depressa, 281.
parvifolia, Moçino, 283.

Claytonia perfoliata, Don, 281.
sarmentosa, C. A. Meyer, 280.
sarmentosa, Bongard, 283.
Sibirica, L. Hort., 280.
var. bulbillifera, 281.
var. heterophylla, 281.
spathulata, Dougl., 282.
var. tenuifolia, 282.
triphylla, Watson, 278.
tuberosa, Pall., 279.
umbellata, Watson, 279.
Virginiana, L., 278.
Cleistanoda, 300.
Clematis grossa, Benth., 397.
Clethra Mexicana, DC., 434.
Clitoria sericea, 407.
triflora, 407.
Cnicus Mexicanus, Hemsl., 433.
Cologania pulchella, HBK., 407.
Communications, —
L. H. Bailey, Jr., 59.
H. E. H. Clifford, 493.
Arthur M. Comey, 482.
Charles R. Cross, 220, 227.
William Morris Davis, 14.
Irving W. Fay, 164.
F. A. Gooch, 167, 177.
Asa Gray, 270.
Henry B. Hill, 315, 482.
James Ellis Humphrey, 195.
C. Loring Jackson, 245, 249, 253, 348, 372.
George W. Leighton, 158, 159.
Arthur W. Palmer, 315.
G. H. Parker, 205.
Edward C. Pickering, 380.
Theodore W. Richards, 162, 342.
G. W. Rolfe, 253.
Truman Henry Safford, 1.
William E. Shepard, 227.
Roland Thaxter, 259.
Sereno Watson, 396.
John F. Wing, 245, 249, 348, 372.
Copper and silver, a determination of the relation of the atomic weights of, 342.
condition and time of experiments, 345.
materials used, 344.
relation of silver to copper, 346.
summary of the results of different methods, 343.
Cordia cana, Mart. & Gal., 439.
Cordylanthus Wrightii, Gray, 307.
Coreopsis cordylocarpa, Gray, 428.
petrophila, Gray, 428.
Corythea, 451.
filipes, 451.
Cosmos bipinnatus, Cav., 429.
exiguus, Gray, 429.
sulphureus, Cav., 429.
Cotyledon attenuata, 472.
parviflora, Hemsl., 473.
var. (?) squamulosa, 473.
Cratægus pubescens, Steud., 411.
Croton ciliato-glandulosus, Ort., 450.
——?, 450.
repens, Schlecht., 450.
Crusea calocephala, DC., 416.
rubra, Cham. & Schlecht.?, 416.
Crystalline scale formed in the manufacture of sodic bicarbonate by the ammonia process, analysis of a, at Syracuse, N. Y., 159.
description, 160.
final average result of analysis, 161.
qualitative analysis, 160.
quantitative analysis, 160.
Cucurbita ficifolia, Bouché, 414.
Cunila longiflora, Gray, 444.
Cuphea Llavea, Llav. & Lex., 412.
Palmeri, Watson, 412.
procumbens, Cav., 412.
retroscabra, 413.
Tolucana, Peyr.?, 412.
viridostoma, 412.
Cuscuta tinctoria, Mart., 440.
Cyperus amabilis, Vahl, 459.
esculentus, Linn., 459.
fugax, Liebm., 459.
nodosus, Willd., 459.
prolixus, HBK., 459.
serrulatus, Watson, 459.
seslerioides, HBK., 459.
Surinamensis, Rottb., 459.
unioloides, R. Br., 459.
var. bromoides, Clarke, 459.
Cyphomandra betacea, Sendt., 440.

D.

Dalea glaberrima, 470.
gracillima, 404.
lasiostachys, Benth., 404.
Lemmoni, Parry, 404.
nigra, Mart. & Gal., 404.
pectinata, Kunth, 404.

Dalea revoluta, 404.
Seemanni, 470.
sericea, Lag., 404.
Davidson, George, election of, 506.
Decomposition of wood at high temperatures, on the, 488.
description of method, 488.
experiments with decayed hemlock wood, 492.
decayed pine wood, 491.
sound pine wood, 489.
Swedish filter paper, 490.
Delphinium —— ?, 397.
Desmodium Jaliscanum, 406.
orbiculare, Schlecht., 406.
strobilaceum, Schlecht., 406.
Diargentic anilmucoxybromate, 326.
anilmucoxychlorate, 336.
Dibenzyldimethylammonic chloride, 251.
properties, 251.
Dibenzyldimethylammonic chlorplatinate, 252.
Dictyanthus Pavonii, Decaisne, 436.
stapeliæflorus, Reichenb., 436.
Diethyl mucoxybromate, 320.
mucoxychlorate, 331.
Dimethyl mucoxybromate, 319.
Dioscorea Jaliscana, 458.
remotiflora, Kunth?, 458.
Diphysa suberosa, 405.
Diplachne imbricata, Scribner, 461.
Dipotassic anilmucoxybromate, 326.
anilmucoxychlorate, 336.
Dorstenia Choconiana, 477.
crispata, 452.
Drakena, Linn., 452.
Drown, Thomas Messenger, election of, 506.
Drymaria villosa, Schlecht., 399.
viscosa, 469.
Duranta Plumieri, Jacq., 444.
Dysodia porophylla, Cav., 431.
tagetiflora, Lag., 431.

E.

Eaton, Daniel Cady, election of, 506.
Echeandia terniflora, Ort., 458.
Echites apocynifolia, Gray, 435.
tubiflora, Mart. & Gal., 435.
Electromotive force, the inverse, of the voltaic arc, 227.
Electromotive force, etc., conclusions, 244.
materials used, 228, 229.
object of experiments, 228.
tables, 230–234, 236–239, 242, 243.
Electro-motors, the efficiency of small, 493.
description of machines tested, 493, 494.
tables, 495, 496, 497.
Eleocharis palustris, R. Br.?, 459.
quadrangulata, R. Br., 459.
Elephantopus spicatus, Juss., 418.
Eleusine Ægyptiaca, Pers., 461.
Indica, Gaertn., 461.
Encelia Mexicana, Mart., 427.
sanguinea, Hemsl., 427.
Enslenia ligulata, Benth., 435.
Epicampes mutica, Fourn.?, 461
Eragrostis limbata, Fourn., 461.
lugens, Nees, 461.
Erechthites hieracifolia, Raf., 432.
Erigeron delphinifolius, Willd., 422.
exilis, Gray, 422.
gnaphalioides, HBK., 422.
scaposus, DC., 422.
Eriocaulon Benthami, Kunth, 458.
Eriosema diffusum, G. Don, 408.
grandiflorum, Seem., 408.
Palmeri, 408.
pulchellum, G. Don, 408.
Eryngium Carlinæ, Delar., 415.
cymosum, Delar.?, 415.
Erythræa Madrensis, Hemsl., 438.
Erythrina coralloides, DC., 407.
Erythronium citrinum, 480.
Congdoni, 480.
Hendersoni, 479.
Howellii, 480.
Eschscholtzia, Cham., 271.
cæspitosa, Benth., 272.
var. hypecoides, 272.
Californica, Cham., 271.
glyptosperma, Greene, 273.
Mexicana, Greene, 272.
minutiflora, Watson, 273.
peninsularis, Greene, 271.
ramosa, Greene, 272.
rhombipetala, Greene, 273.
tenuifolia, Hook., 273.
Escobedia linearis, Schlecht., 442.
Eucalandrinia, 277.
Euclaytonia, 278.
Eulophus peucedanoides, Benth. & Hook., 415.

Eupatorium adenospermum, Sch. B., 421.
var. pleianthum, Gray, 421.
——?, 421.
collinum, DC., 420.
dasycarpum, Gray, 420.
Guadalupense, Spreng., 421.
incomptum, DC., 420.
leptodictyon, Gray, 420.
pulchellum, HBK., 421.
pycnocephalum, Less., 421.
trinervium, Schultz Bip., 420.
Euphorbia adenoptera, Bertol., 449.
Francoana, Boiss., 450.
Guadalajarana, 449.
plicata, Watson, 450.
radians, Benth., 450.
radioloides, Boiss. ?, 449.
retroscabra, 449.
sphærorrhiza, Benth., 450.
tomentulosa, 476.
umbellulata, Engelm., 449.
uniglandulosa, 476.
Evanoda, 297.
Evolvulus linifolius, Linn., 440.
pilosissimus, Mart. & Gal., 440.

F.

Fellows, Associate, elected, —
Henry Adams, 507.
Joel Asaph Allen, 506.
George Davidson, 506.
Daniel Cady Eaton, 506.
Matthew Carey Lea, 506.
John Strong Newberry, 506.
John Newton, 506.
John Wesley Powell, 506.
William Edward Story, 506.
Addison Emery Verrill, 507.
William Robert Ware, 507.
Horatio C. Wood, 507.
Fellows, Associate, List of, 562.
Fellows deceased, —
Charles Francis Adams, 517.
Nathaniel E. Atwood, 517.
Ephraim Whitman Gurney, 503.
Charles Edward Hamlin, 499.
William Ripley Nichols, 503.
Charles Callahan Perkins, 503.
Henry Hobson Richardson, 503.
Charles Upham Shepard, 499.
Fellows elected, —
Martin Brimmer, 506.
Thomas Messenger Drown, 506.
Fellows elected, —
Jesse Walter Fewkes, 506.
Oliver Whipple Huntington, 503.
Edward Jackson Lowell, 506.
David Gordon Lyon, 506.
John Ritchie, Jr., 506.
Joseph Henry Thayer, 506.
Fellows, List of, 559.
Ferrocyanide, 250.
properties, 251.
Fewkes, Jesse Walter, election of, 506.
Fimbristylis ciliatifolia, Britton, 459.
laxa, Vahl, 459.
Foreign Honorary Members deceased, —
Georg Curtius, 517.
August Wilhelm Eichler, 508.
Leopold von Ranke, 499.
Bernard Studer, 517.
Foreign Honorary Members, List of, 564.
Franseria camphorata, Greene, 309.
var. leptophylla, 309.
Frasera Cusickii, 310.
Fremontia, Torr., 304.

G.

Galeana hastata, Llav. & Lex., 431.
Galium ——?, 417.
Galphimia glauca, Cav., 401.
Humboldtiana, Bartl., 401.
Galvesia juncea, 311.
Gaudichaudia mollis, Benth., 402.
Gaya, HBK., 296.
Gentiana linearis, Frœl., 309.
var. latifolia, 309.
Gnaphalium leptophyllum, DC., 422.
purpureum, Linn., 423.
semiamplexicaule, DC., 423.
Gomphocarpus Palmeri, Gray, 436.
Gomphrena nitida, Rothr., 446.
Gonolobus atratus, Gray, 436.
nummularius, Hemsl., 437.
sororius, Gray, 437.
Gossypium Barbadense, Linn., 399.
Gronovia scandens, Linn., 413.
Guaiacum, Plumier, 306.
Guardiola Mexicana, Humb. & Bonpl., 423.
Tulocarpus, Gray, 423.
var. angustifolia, 423.
Guazuma tomentosa, HBK., 399.

Guilleminea decumbens, Jacq., 446.
Gurney, Ephraim Whitman, death of, 503.
biographical notice of, 523.
Gymnogramme pedata, Kaulf., 462.
tartarea, Desv., 462.
Gymnolomia rudis, Gray, 424.
squarrosa, Hemsl., 424.
Gymnosporangium biseptatum, 263, 268.
clavariæforme, 262, 266, 268.
clavipes, 264, 267, 268.
conicum, 264, 267, 268.
Ellisii, 264, 268.
globosum, 263, 267.
macropus, 262, 267, 268.
Gymnosporangium, on certain cultures of, with notes on their Rœsteliæ, 259.
method of infection, 261.
species used, 261.
summary, 269.

H.

Habenaria Guadalajarana, 456.
Jaliscana, 455.
spathacea, Rich. & Gal., 455.
Halenia parviflora, Don, 438.
Hamelia versicolor, Gray, 416.
Hamlin, Charles Edward, death of, 499.
Helianthus annuus, Linn., 427.
Heliopsis procumbens, Hemsl., 424.
Heliotropium inundatum, Swartz, 439.
limbatum, Benth., 439.
Heteropogon contortus, Roem. & Schult., 460.
Heteropterys Portillana, 402.
Heterospermum pinnatum, Cav., 428.
Heterotheca leptoglossa, DC., 421.
Hibiscus, L., 302.
lasiocarpus, Cav., 302.
var. occidentalis, 303.
militaris, Cav., 303.
Moscheutos, L., 303.
tiliaceus, L., 303.
Trionum, L., 303.
tubiflorus, DC., 302.
Horsfordia, 296.
alata, 297.
Newberryi, 297.
Hosackia nivea, 470.
Hunnemanniæ, 270.
Huntington, Oliver Whipple, election of, 503.
Hydrolea spinosa, Linn., 438.
Hydroxyl, a new method for the quantitative determination of, 253.
Hyptis albida, HBK., 444.
macrocephala, Mart. & Gal., 444.
polystachya, HBK., 444.
spicata, Poit., 444.
stellulata, Benth., 444.

I.

Ignition of decayed wood, on the minimum point of, 482.
apparatus, 482.
description of wood used, 483.
experiments, 484–487.
Ilysanthes grandiflora, Benth., 442.
Imperata Hookeri, Rupr., 460.
Indigofera Palmeri, 404.
sphærocarpa, Gray, 404.
Iostephane heterophylla, Hemsl., 425.
Ipomœa Bona-nox, Linn., 440.
læta, Gray, 439.
longepedunculata, Hemsl., 439.
Mexicana, Gray, 440.
murucoides, Rœm. & Schl., 440.
var. glabrata, 440.
Pringlei, 307.
puncticulata, Benth., 440.
purga, Wender, 439.
rhodocalyx, Gray, 439.
sidæfolia, Choisy, 440.
stans, Cav., 439.
Iresine canescens, Humb. & Bonpl., 446.
celosioides, Linn., 446.
Isoloma —— ?, 443.

J.

Jægeria pedunculata, Hook. & Arn., 424.
Jatropha angustidens, Muell. Arg., 450.
cordata, Muell. Arg., 450.
Juncus acuminatus, Michx.?, 459.
marginatus, Rostk., 459.

K.

Karwinskia Humboldtiana, Zucc., 403.
Keerlia Mexicana, Gray, 422.
Kobresia globularis, Dewey, 122.
Kosteletzkya paniculata, Benth., 399.
Kyllinga cæspitosa, Nees, 459.
var. elatior, Boeckl., 459.
odorata, Vahl, 459.

L.

Lagascea angustifolia, DC., 423.
suaveolens, HBK., 423.
Lamourouxia cordata, Cham. & Schlecht., 442.
Langley, Prof. S. P., presentation of Rumford Medals to, 508.
Lantana Camara, Linn., 443.
hispida, HBK., 443.
horrida, HBK., 443.
involucrata, Linn., 443.
velutina, Mart. & Gal., 443.
Lea, Matthew Carey, election of, 506.
Leersia hexandra, Sw., 460.
Lennoa madreporoides, Llav. & Lex., 434.
Leptosyne Mexicana, Gray, 429.
Leucæna esculenta, Benth., 409.
macrophylla, Benth.?, 409.
Lewisia, Pursh., 272, 276.
Liabum angustissimum, Gray, 432.
Palmeri, Gray, 432.
Limnanthemum Humboldtianum, Griseb., 438.
Limnia, 280.
Liparis Galeottiana, Hemsl.?, 454.
Lippia geminata, HBK., 443.
purpurea, Jacq., 443.
Lithium, a method for the separation of sodium and potassium from, by the action of amyl alcohol on the chlorides, 177.
Lobelia fenestralis, Cav., 433.
laxiflora, HBK., 433.
var. angustifolia, DC., 433.
subnuda, Benth., 433.
Lœselia ciliata, Linn., 438.
glandulosa, Don, 438.
Lopezia pumila, Bonpl.?, 413.
Loranthus calyculatus, DC., 449.
Palmeri, Watson, 449.
Lowell, Edward Jackson, election of, 506.
Lupinus Cusickii, 469.
Shockleyi, 470.
Lycium Shockleyi, 311.
Lycurus phalaroides, HBK.?, 461.
Lyon, David Gordon, election of, 506.
Lysiloma (?), 410.
Acapulcensis, Benth., 410.

M.

Magnesium and calcium, separation of sodium and potassium from, 177, 192.
Malva parviflora, Linn., 399.
Malvaceæ, 285.
Malvastrum, 287.
angustum, Gray, 289.
coccineum, Gray, 291.
densiflorum, Watson, 290.
exile, Gray, 288.
Fremonti, Torr., 290.
leptophyllum, Gray, 290.
marrubioides, Durand & Hilgard, 290.
var. paniculatum, 290.
Palmeri, Watson, 290.
rotundifolium, Gray, 288.
Rugelii, Watson, 289.
scabrum, Gray, 289.
scoparium, Gray, 289.
spicatum, Gray, 289, 399.
Thurberi, Gray, 290.
var. laxiflorum, 291.
tricuspidatum, Gray, 289.
Wrightii, Gray, 290.
Malvinda, 294.
Manihot angustiloba, Muell. Arg., 450.
Manisuris granularis, Sw., 460.
Mapania sylvatica, Pursh, 132.
Maranta arundinacea, Linn., 456.
Marsdenia Zimapanica, Hemsl., 435.
Maukschia lævis, Heuffl., 142.
Melampodium hispidum, HBK., 423.
ovatifolium, Reich, 423.
sericeum, Lag., 423.
Meliphlea, Zucc., 289.
Mellichampia, 437.
rubescens, Gray, 437.
Melochia hirsuta, Cav., 399.
var. serrata, Schauer, 399.
pyramidata, Linn., 399.

Melothria scabra, Naud.?, 414.
Mentha rotundifolia, Linn., 444.
Mentzelia hispida, Willd., 413.
Metallic chlorides, on the constancy in the heat produced by the reaction of argentic nitrate on solutions of, 162.
Mica from Leon Co., Texas, analysis of, 158.
conclusions, 159.
description, 158.
oxygen ratios, 159.
Microchloa setacea, R. Br., 461.
Micromeria Xalapensis, Benth., 444.
Microseris anomala, 475.
Microstylis ocreata, 453.
Milla biflora, Cav,, 458.
Mimosa albida, Humb. & Bonpl., 409.
fasciculata, Benth., 409.
floribunda, Willd., 409.
Tequilana, 409.
Mitracarpus breviflorus, Gray, 417.
Modiola, Mœnch, 292.
multifida, Moench, 399.
Monobaric anilmucoxybromate, 325.
Monoethyl mucoxybromate, 320.
mucoxychlorate, 331.
Montanoa grandiflora, DC., 424.
subtruncata, Gray, 424.
——?, 425.
Montia, Micheli, 273, 284.
Montiastrum, 283.
Mucoxybromate, argentic, 319.
baric, 317.
diethyl, 320.
dimethyl, 319.
monoethyl, 320.
potassic, 318.
Mucoxybromic acid, 316.
action of bromine in aqueous solution, 322.
decomposition in alkaline solution, 321.
Mucoxybromic and mucoxychloric acids, on, 315.
theoretical considerations, 337–341.
Mucoxychlorate, argentic, 330.
baric, 329.
diethyl, 331.
monoethyl, 331.
potassic, 330.
Mucoxychloric acid, 327.
action of bromine in aqueous solution, 333.
Mucoxychloric acid, decomposition in alkaline solution, 332.
Mucoxychloric acids, on mucoxybromic and, 315.
Muhlenbergia affinis, Trin., 461.
longiglumis, Vasey, 461.
lycurioides, Vasey, 461.
Myrtus Arayan, HBK.?, 412.

N.

Naiocrene, Torr. & Gray, 283.
Nemastylis tenuis, Benth. & Hook., 456.
versicolor, 456.
Newberry, John Strong, election of, 506.
Newton, John, election of, 506.
Nichols, William Ripley, death of, 503.
biographical notice of, 528.
Nicotiana plumbaginifolia, Viv., 441.
Tabacum, Linn., 442.
Nissolia confertiflora, Watson, 406.
Nitrate, argentic, on the constancy in the heat produced by the reaction of, on solutions of metallic chlorides, 162.
Nitric acid on symmetrical trichlorbenzol, on the action of, 372.
Notholæna aurantiaca, D. C. Eaton, 462.
brachypus, J. Smith, 462.
ferruginea, Hooker, 462.
Grayi, Davenport, 463.
Lemmoni, D. C. Eaton, 463.
Palmeri, Baker, 463.
sinuata, Kaulf., 462.
Nothoscordum fragrans, Kunth, 458.
Notylia Guatemalensis, 477.
Nymphæa gracilis, Zucc.?, 397.

O.

Onosmodium strigosum, Don, 439.
Opizia stolonifera, Presl, 461.
Oplismenus setarius, Roem. & Schult.?, 460.
Ornithocephalus Pottsiæ, 478.
Orogenia fusiformis, 474.
Oryctes Nevadensis, Watson, 310.
Osmunda regalis, Linn., 465.
Oxalis decaphylla, HBK., 402.

Oxalis Hernandezii, DC., 402.
latifolia, HBK., 402.
Oxypappus scaber, Benth., 431.

P.

Pachyrrhizea, 276.
Pachyrrhizus angulatus, Rich., 407.
Palmerella tenera, Gray, 433.
Panicum bulbosum, HBK., 459.
cæspitosum, Swartz, 459.
colonum, Linn., 459.
Crusgalli, Linn., 459.
divaricatum, Linn., 459.
filiforme, Linn., 459.
———?, 459.
Kunthii, Fourn.?, 459.
Oaxacense, Fourn., 459.
paspaloides, Pers., 459.
virgatum, Linn., 459.
Papaveraceæ, 270.
addendum to, 313.
Papaver Californicum, 313.
Papavereæ, 270.
Parabrombenzamide, 258.
properties, 258.
Parabrombenzoic acid, preparation of, 255.
anhydride, 256.
properties, 257.
Parabrombenzoylchloride, 255.
properties, 256.
Paspalum Humboldtianum, Flueg., 459.
lividum, Trin., 459.
notatum, Fluegge, 459.
paniculatum, Linn., 459.
plicatulum, Michx., 459.
Passiflora Brighami, 473.
Choconiana, 474.
Guatemalensis, 473.
Pectis canescens, HBK., 432.
diffusa, Hook. & Arn., 431.
Jaliscana, Hook. & Arn., 432.
Pellæa angustifolia, Baker, 463.
var. cuneata, Baker, 463.
cordata, J. Smith, 463.
flexuosa, Link, 463.
marginata, Baker, 463.
rigida, Hooker, 463.
Seemanni, Hooker, 463.
ternifolia, Link, 463.
Pennisetum Mexicanum, Hemsl.?, 460.
setosum, Rich.?, 460.
Pentachæta Orcuttii, 309.
Pentstemon rotundifolius, 307.
Peperomia gracillima, 448.
Perezia rigida, Gray, 433.
vernonioides, Gray, 433.
Wislizeni, Gray, 433.
Perieilema crinitum, Presl, 461.
Perityle Jaliscana, Gray, 431.
Perkins, Charles Callahan, death of, 503.
biographical notice of, 534.
Perymenium Cervantesii, DC., 427.
Petiveria alliacea, Linn., 446.
Peucedanum circumdatum, 474.
Kingii, 474.
Phacelia hirtuosa, 310.
Phaseolus heterophyllus, Willd., 407.
Phenylhydrazine anilmucoxybromate, 326.
anilmucoxychlorate, 336.
Phenylparabrombenzoate, 257.
properties, 257.
Philadelphus Coulteri, 472.
Philibertia Pavoni, Hemsl., 435.
Phlox dolichantha, 310.
Phoradendron rubrum, Griseb.?, 449.
Physalis æquata, Jacq., 442.
fœtens, Poir.?, 442.
nicandrioides, Schiecht., 442.
——?, 442.
Physodium corymbosum, Presl, 399.
Pinaropappus junceus, 307.
roseus, Less., 433.
Pinguicula crenatiloba, DC., 443.
Pinus oöcarpa, Schiede, 453.
Piper leucophyllum, C. DC., 448.
——?, 448.
Piptothrix pubens, Gray, 419.
Piqueria trinervia, Cass., 418.
Pistia stratiotes, Linn., 458.
var. obcordata, Engler, 458.
Pitcairnia Jaliscana, 456.
Palmeri, 456.
Pithecolobium dulce, Benth., 411.
Plants, list of, collected by Dr. Edward Palmer in the State of Jalisco, Mexico, in 1886, 396.
descriptions of some new species of, 466.
Platinum standard of light, experiments on the melting, 220.
materials used, 220, 221.
method of Siemens, 220, 221.
tables, 222–224.

Platystemoneæ, 270.
Plumeria Mexicana, Lodd., 434.
Poa infima, HBK., 461.
Podistera, 475.
Nevadensis, 475.
Polygala Americana, Mill., 398.
Berlandieri, Watson, 398.
conferta, Bennett, 398.
glochidata, HBK., 398.
gracillima, 398.
——?, 398.
leptocaulis, Torr. & Gray, 398.
longicaulis, HBK., 398.
Polypetalous genera and orders, revision of some, precursory to the flora of North America, 270.
Polypodium aureum, Linn., 462.
var. areolatum, 462.
plesiosorum, Kunze, 462.
thyssanolepis, Al. Braun., 462.
Polypremum procumbens, Linn., 438.
Porophyllum Seemanni, Schultz Bip., 431.
viridiflorum, DC., 431.
Portulaca, 272, 274.
halimoides, L., 274.
parvula, 274.
pilosa, L., 274.
stelliformis, Moçino & Sesse, 274.
Portulacaceæ, 272.
Potassic mucoxybromate, 318.
mucoxychlorate, 330.
Potassium from lithium, a method for the separation of sodium and, by the action of amyl alcohol on the chlorides, with some reference to a similar separation of the same from magnesium and calcium, 177.
Pouzolzia nivea, 453.
Palmeri, 453.
Powell, John Wesley, election of, 506.
Priva hispida, Juss., 444.
Prochnyanthes, 457.
viridescens, 457.
Prockia crucis, Linn., 401.
Prunus salicifolia, HBK., 411.
Psilotum triquetrum, Linn., 465.
Pyrogallol triparabrombenzoate, 257.
properties, 258.
Pyrrhopappus multicaulis, DC., 433.

Q.

Quercus Sadleriana, R. Brown, 477.

R.

Ranke, Leopold von, death of, 499.
biographical notice of, 542.
Ranunculus Hookeri, Schlecht., 397.
Ravenelia glandulæformis, on the morphology of, 205–218.
aculeifera, Berk., 212, 213, 215, 217.
glabra, K. & Cke., 213, 215–217, 219.
glandulosa, Berk. & Curt., 211, 212.
Hobsoni, Cke., 213.
Indica, Berk., 211–215, 217, 218.
macrocystis, Berk. & Br., 212, 213.
sessilis, Berk., 212, 216–218.
strictica, Berk. & Br., 212, 213, 217, 219.
Tephrosiæ, 217.
explanation of figures, 218.
Rhamnus Palmeri, 403.
Rhizomatose, 280.
Rhynchosia minima, DC., 408.
nigropunctata, 408.
phaseoloides, DC., 407.
Rhynchospora, 459.
Richardia scabra, Linn., 417.
Richardson, Henry Hobson, death of, 503.
biographical notice of 539.
Ritchie, John, Jr., election of, 506.
Rœstelia aurantiaca, 265, 267, 268.
botryapites, 265, 269.
cornuta, 267–269.
lacerata, 265–269.
penicillata, 265, 266.
pyrata, 266, 269.
transformans, 265, 269.
Rœsteliæ on certain cultures of Gymnosporangium, with notes, 259.
Rothrockia, Gray, 437.
Roulinia Jacquini, Decaisne, 435.
Ruellia pilosa, Pav., 443.
Rumford medals, presentation of the, 508.
Russellia sarmentosa, Jacq., 442.

S.

Sabbatia Palmeri, Gray, 438.
Salix taxifolia, HBK., 453.
Salmea grandiceps, Cass., 428.
Salvia albiflora, Mart. & Gal., 445.
var. cærulescens, Gray, 445.
amarissima, Ort., 445.
angustifolia, Cav., 445.
glechomæfolia, HBK., 445.
helianthemifolia, Benth., 445.
Hispanica, Linn., 446.
Keerlii, Benth., 445.
privoides, Benth., 445.
purpurea, Cav., 446.
var. pubens, 446.
sessilifolia, Gray, 445.
veronicæfolia, Gray, 444.
Schkuhria Hopkirkia, Gray, 431.
Schrankia aculeata, Willd., 409.
distachya, DC., 409.
Scleria reticularis, Michx., 459.
var. pubescens, Britton, 459.
Sclerocarpus uniserialis, Hemsl., 424.
Scutellaria rumicifolia, Benth., 446.
Sechiopsis triquetra, Naud., 413.
Sedum Chapalense, 411.
Guadalajarana, 411.
Selaginella binervis, Liebm., 465.
Senecio heracleifolius, Hemsl., 432.
Pringlei, 307.
Serjania —— ?, 403.
Sertum Chihuahuense, 306.
Sesbania longifolia, DC.?, 405.
Setaria glauca, Beauv., 460.
verticillata, Beauv., 460.
Shepard, Charles Upham, death of, 499.
Sicyos Deppei, Don, 413.
Sida, 293, 294.
angustifolia, Lam., 295.
carpinifolia, L., 295.
ciliaris, L., 294.
var. fasciculata, 294.
cordifolia, L., 295.
diffusa, HBK., 294, 399.
Elliottii, Torr. & Gray, 295.
filipes, Gray, 296.
Lindheimeri, Engelm. & Gray, 296.
longipes, Gray, 296.
Neo-Mexicana, 296.
rhombifolia, L., 295.
var. Canariensis, Griseb., 295.
spinosa, L., 295.
supina, L'Her., 294.
Sida tragiæfolia, Gray, 295.
Xanti, 296.
Sidalcea, Gray, 286.
asprella, Greene, 286.
Californica, Gray, 286.
campestris, Greene, 286.
candida, Gray, 286.
glaucescens, Greene, 287.
malvæflora, Gray, 286.
Neo-Mexicana, Gray, 287.
Oregana, Gray, 287.
pedata, 288.
spicata, Greene, 288.
Sidalceæ perennes, 286.
Sidanoda, 299.
Sideroxylon petiolare, Gray, 434.
Silene longistylis, Engelm., 469.
Silver, a determination of the relation of the atomic weights of copper and, 342.
Sisyrinchium —— ?, 457.
Sodic benzoylbenzoltrisulphamide, 367.
Sodic bicarbonate by the ammonia process, analysis of a crystalline scale formed in the manufacture of, at Syracuse, N. Y., 159.
Sodium and potassium from lithium, a method for the separation of, by the action of amyl alcohol on the chlorides, with some reference to a similar separation of the same from magnesium and calcium, 177.
Berzelius's method, 177.
corrected errors, table of, 191.
experiments on the separation of the chlorides of sodium and potassium from the chlorides of magnesium and calcium, 193, 194.
Fresenius's experiments, results of, 179.
Mayer's method, 177.
Mayer's test analyses, results of, 178.
quantitative tests, results of, 183, 185, 187, 188, 189.
Rammelsberg's method, 177.
recapitulation, 191.
Smith's experiments, results of, 181.
Solanum callicarpeæfolium, Linn., 441.
nigrum, Linn., 441.

Solanum piliferum, Benth., 441.
refractum, Hook. & Arn., 441.
Tequilense, Gray, 441.
—— ?, 441.
torvum, Swartz, 441.
Solidago erecta, Pursh, 308.
Spermacoce —— ?, 417.
asperifolia, Mart. & Gal., 417.
Hænkeana, Hemsl., 417.
Sphæralcea, St. Hil., 287, 291.
acerifolia, Nutt., 294.
ambigua, 292.
angustifolia, Spach, 292.
var. cuspidata, 293.
Coulteri, 291.
Emoryi, Torr., 293.
Fendleri, Gray, 293.
hastulata, Gray, 292.
incana, Torr., 293.
var. dissecta, Gray, 293.
leptosepala, Torr., 294.
Lindheimeri, Gray, 292.
Munroana, Spach, 292.
pedata, Torr., 291.
var. angustiloba, 292.
pedatifida, Gray, 291.
Rusbyi, 293.
sulphurea, Watson, 292.
Wrightii, Gray, 293.
Spilanthes Beccabunga, DC., 428.
Spiranthes aurantiaca, Benth. & Hook., 455.
graminea, Lindl., 455.
Spondias Mexicana, 403.
Sporobolus argutus, Kunth, 461.
Indicus, R. Br., 461.
Spraguea, Torr., 284.
Sprekelia formosissima, Herb., 457.
Stachys agraria, Cham. & Schlecht., 446.
Drummondii, Benth., 446.
Standard of light, experiments on the melting platinum, 220.
Stars, Polar, observations of the mean right ascension of certain, made at the Field Memorial Observatory of Williams College, and reduced to the epoch 1884.0, 1.
Stemmadenia bignoniæflora, Miers, 434.
Stevia canescens, HBK., 418.
Eupatoria, Willd., 419.
glandulosa, Hook. & Arn., 418.
laxiflora, DC., 418.
linoides, Schultz Bip., 418.
Stevia paniculata, Lag., 419.
phlebophylla, Gray, 419.
rhombifolia, HBK., 418.
serrata, Cav., 418.
subpubescens, Lag., 418.
trifida, Lag., 418.
Stillingia Zelayensis, Muell. Arg.?, 451.
Story, William Edward, election of, 506.
Sulphates in aqueous solution, relation between the heats of formation of chlorides and, 164.
Sulphonates, aromatic, on the direct conversion of, into the corresponding amido compounds, 245.

T.

Tagetes subulata, Llav. & Lex., 431.
tenuifolia, Cav., 431.
Talinopsis, Gray, 272, 275.
Talinum, Adans., 272, 275.
brevifolium, Torr., 275.
calycinum, Engelm., 276.
humile, Greene, 275.
lineare, HBK., 275.
parviflorum, Nutt., 276.
patens, Willd., 275.
spinescens, Torr., 275.
teretifolium, Pursh., 275.
Taxodium mucronatum, Ten., 453.
Tephrosia affinis, Watson, 405.
leptostachya, DC., 405.
talpa, 405.
toxicaria, Pers., 405.
Tetrapterys Mexicana, Hook. & Arn., 402.
Thayer, Joseph Henry, election of, 506.
Thelypodium stenopetalum, 468.
Thespesia populnea, Correa, 303.
Thevetia cuneifolia, A. DC., 434.
Thunder-storms in New England in the summer of 1885, 14.
chart of storm, June 29th, 24.
July 3d, 26.
July 29th, 30.
collection of material, 14.
control of storms by the larger cyclonic circulation, 56.
daily maximum temperatures, 16.
direction of motion, 57.

Thunder-storms, etc., distribution of, through the day, 55.
general account of storms through the summer, 17–38.
reduction of observations, 16.
review, 54–58.
storm of July 9th, 38–45.
barometric changes, 44.
change of temperature, 43.
chart, 39.
clouds before the rain, 39.
description of a composite portrait, 44.
relation of wind and rain, 42.
storms of July 21st, 45–54.
changes of temperature, 52.
chart, 46.
chart of afternoon storm, 54.
composite portrait of surface effects, 51.
Tilia, 305.
Americana, L., 305.
heterophylla, Vent., 305.
Mexicana, Schlecht., 305.
pubescens, Ait., 305.
var. leptophylla, Vent., 305.
Tiliaceæ, 305.
Tithonia tubæformis, Cass., 426.
Trachelospermum stans, Gray, 435.
Trachypogon polymorphus, Haeckel, 460.
subvar. secundus, Haeckel, 460.
Tragia nepetæfolia, Cav., 451.
var. setosa, 451.
Tragoceras zinnioides, HBK., 423.
Trema micrantha, Blume, 452.
Tribulus, Tourn., 306.
Trichlorbenzol, symmetrical, on the action of nitric acid on, 372.
preparation of, 375.
Trichlordinitrobenzol, 377.
properties, 377.
Trichlortrinitrobenzol, 378.
properties, 378.
Tridax balbisioides, Gray, 430.
procumbens, Linn., 430.
Trifolium goniocarpum, Lojacono, 403.
Triparabrombenzoate, pyrogallol, 257.
properties, 258.
Tripsacum fasciculatum, Fourn., 460.
Trisetum deyeuxioides, Kunth, 461.
Tristachya leiostachya, Nees, 461.
Triumfetta brevipes, 400.
insignis, 400.
Palmeri, 400.
semitriloba, Linn., 400.
Turnera Palmeri, 413.
ulmifolia, Linn., 413.
var. Surinamensis, Urban, 413.

U.

Uncinia breviseta, Torr., 122.
Europæa, Gay, 61.
microglochin, Sprengel, 61.
Urera Caracasana, Griseb., 453.
Utricularia denticulata, Benj., 442.

V.

Valeriana apiifolia, Gray, 417.
Palmeri, Gray, 417.
Variable stars, observations of, in 1886, 380.
explanation of abbreviations, 381.
explanation of tables, 382.
remarks, 390, 391, 395.
tables, 384–394.
Verbena ciliata, Benth., 444.
Verbesina crocata, Less., 428.
disseta, 309.
pinnatifida, Cav., 428.
sphærocephala, Gray, 428.
stricta, Gray, 427.
tetraptera, Gray, 428.
virgata, Cav., 428.
Vernonia foliosa, Schultz Bip., 417.
serratuloides, HBK., 417.
Verrill, Addison Emery, election of, 507.
Viguiera excelsa, Benth., 426.
helianthoides, HBK., 426.
Palmeri, Gray, 427.
quinqueradiata, Gray, 426.
tenuis, Gray, 426.
Vincetoxicum astephanoides, Gray, 435.
Viola Howellii, 308.
Vitex mollis, HBK., 444.
Vitis Caribæa, DC., 403.
Voltaic arc, the inverse electromotive force of the, 227.

W.

Ware, William Robert, election of, 507.
Wigandia urens, Cham., 438.
Wimmeria concolor, Cham. & Schlecht. ?, 403.
Wood, Horatio C., election of, 507.
Wood, on the behavior of sound and decayed, at high temperatures, 482.
on the minimum point of ignition of decayed, 482.
on the decomposition of, at high temperatures, 488.
Woodsia mollis, J. Smith, 465.

X.

Ximenia parviflora, Benth., 403.
Xyris —— ?, 458.

Z.

Zephyranthes pallida, Roem., 457.
Zexmenia aurea, Benth., 426.
Greggii, Gray, 426.
podocephala, Gray, 425.
Tequilana, 425.
Zinnia angustifolia, HBK., 423.
maritima, HBK., 423.
Palmeri, Gray, 423.
Zornia diphylla, Pers., 406.
Zygophyllaceæ, 306.